Connecting via Winsock to STN

Welcome to STN International! Enter x:X

LOGINID:SSPTAJHM1624

PASSWORD:
TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * * * * * * Welcome to STN International * * * * * * * * * *

NEWS	1		Web Page for STN Seminar Schedule - N. America
NEWS	2	DEC 01	ChemPort single article sales feature unavailable
NEWS	3	JUN 01	CAS REGISTRY Source of Registration (SR) searching enhanced on STN
NEWS	4	JUN 26	NUTRACEUT and PHARMAML no longer updated
NEWS	5	JUN 29	IMSCOPROFILE now reloaded monthly
NEWS	6	JUN 29	EPFULL adds Simultaneous Left and Right Truncation (SLART) to AB, MCLM, and TI fields
NEWS	7	JUL 09	PATDPAFULL adds Simultaneous Left and Right Truncation (SLART) to AB, CLM, MCLM, and TI fields
NEWS	8	JUL 14	USGENE enhances coverage of patent sequence location (PSL) data
NEWS	9	JUL 27	CA/CAplus enhanced with new citing references
NEWS	10	JUL 16	GBFULL adds patent backfile data to 1855
NEWS	11	JUL 21	USGENE adds bibliographic and sequence information
NEWS	12	JUL 28	EPFULL adds first-page images and applicant-cited references
NEWS	13	JUL 28	INPADOCDB and INPAFAMDB add Russian legal status data
NEWS	14	AUG 10	Time limit for inactive STN sessions doubles to 40 minutes
NEWS	15	AUG 18	COMPENDEX indexing changed for the Corporate Source (CS) field
NEWS	16	AUG 24	ENCOMPLIT/ENCOMPLIT2 reloaded and enhanced
NEWS	17	AUG 24	CA/CAplus enhanced with legal status information for U.S. patents
NEWS	18	SEP 09	50 Millionth Unique Chemical Substance Recorded in CAS REGISTRY
NEWS	19	SEP 11	WPIDS, WPINDEX, and WPIX now include Japanese FTERM thesaurus

NEWS EXPRESS MAY 26 09 CURRENT WINDOWS VERSION IS V8.4,
AND CURRENT DISCOVER FILE IS DATED 06 APRIL 2009.

NEWS HOURS STN Operating Hours Plus Help Desk Availability
NEWS LOGIN Welcome Banner and News Items

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN customer agreement. This agreement limits use to scientific research. Use for software development or design, implementation of commercial gateways, or use of CAS and STN data in the building of commercial products is prohibited and may result in loss of user privileges and other penalties.

```
* * * * * * * * * * * * * * * * STN  Columbus  * * * * * * * * * * * * * * * *

FILE 'HOME' ENTERED AT 17:21:58 ON 21 SEP 2009

=> FIL REGISTRY
COST IN U.S. DOLLARS                                SINCE FILE      TOTAL
                                                         ENTRY    SESSION
FULL ESTIMATED COST                                       0.22       0.22

FILE 'REGISTRY' ENTERED AT 17:22:18 ON 21 SEP 2009
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2009 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file
provided by InfoChem.

STRUCTURE FILE UPDATES:   20 SEP 2009  HIGHEST RN 1185847-75-9
DICTIONARY FILE UPDATES:  20 SEP 2009  HIGHEST RN 1185847-75-9

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH June 26, 2009.

  Please note that search-term pricing does apply when
  conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and
predicted properties as well as tags indicating availability of
experimental property data in the original document.  For information
on property searching in REGISTRY, refer to:

http://www.cas.org/support/stngen/stndoc/properties.html

=>
Uploading C:\Program Files\Stnexp\Queries\10 series\10585429\10585429a.str
```





chain nodes :
10 11 12 13 14 21 23 25 27

```
ring nodes :
1  2  3  4  5  6  7  8  9  15  16  17  18  19  20
chain bonds :
1-14  10-11  10-27  11-12  11-13  14-15  14-23  21-25
ring bonds :
1-2  1-6  2-3  3-4  4-5  5-7  5-6  6-9  7-8  8-9  15-16  15-20  16-17  17-18  18-19
 19-20
exact/norm bonds :
1-2  1-6  2-3  3-4  4-5  5-7  5-6  6-9  7-8  14-23  21-25
exact bonds :
1-14  8-9  10-11  10-27  14-15
normalized bonds :
11-12  11-13  15-16  15-20  16-17  17-18  18-19  19-20
isolated ring systems :
containing 1 : 15 :


G1:H,Ak

Match level :
1:Atom  2:Atom  3:Atom  4:Atom  5:Atom  6:Atom  7:Atom  8:Atom  9:Atom  10:CLASS
11:CLASS  12:CLASS  13:CLASS  14:CLASS  15:Atom  16:Atom  17:Atom  18:Atom  19:Atom
 20:Atom  21:CLASS  22:Atom  23:CLASS  25:CLASS  27:CLASS  30:Atom



L1      STRUCTURE UPLOADED

=> d l1
L1 HAS NO ANSWERS
L1              STR

* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY -  AVAILABLE VIA OFFLINE PRINT *

Structure attributes must be viewed using STN Express query preparation.


=> s l1
SAMPLE SEARCH INITIATED 17:22:51 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED -        7 TO ITERATE

100.0% PROCESSED        7 ITERATIONS                                0 ANSWERS
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS:  ONLINE  **COMPLETE**
                        BATCH   **COMPLETE**
PROJECTED ITERATIONS:            7 TO      298
PROJECTED ANSWERS:               0 TO        0

L2            0 SEA SSS SAM L1

=> s l1 full
FULL SEARCH INITIATED 17:22:56 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED -      183 TO ITERATE

100.0% PROCESSED      183 ITERATIONS                                7 ANSWERS
SEARCH TIME: 00.00.01

L3            7 SEA SSS FUL L1

=> d scan
```

L3 7 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN Imidazo[1,2-c]pyrimidine-8-acetic acid,
    7-chloro-5-[[4-[[(2E)-1-oxo-3-phenyl-2-propen-1-yl]amino]phenyl]methyl]-
MF C24 H19 Cl N4 O3

Double bond geometry as shown.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):0

=> file caplus

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	185.88	186.10

FILE 'CAPLUS' ENTERED AT 17:23:08 ON 21 SEP 2009
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2009 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is
held by the publishers listed in the PUBLISHER (PB) field (available
for records published or updated in Chemical Abstracts after December
26, 1996), unless otherwise indicated in the original publications.
The CA Lexicon is the copyrighted intellectual property of the
American Chemical Society and is provided to assist you in searching
databases on STN. Any dissemination, distribution, copying, or storing
of this information, without the prior written consent of CAS, is
strictly prohibited.

FILE COVERS 1907 - 21 Sep 2009 VOL 151 ISS 13
FILE LAST UPDATED: 20 Sep 2009 (20090920/ED)
REVISED CLASS FIELDS (/NCL) LAST RELOADED: Jun 2009
USPTO MANUAL OF CLASSIFICATIONS THESAURUS ISSUE DATE: Jun 2009

CAplus now includes complete International Patent Classification (IPC)
reclassification data for the third quarter of 2009.

CAS Information Use Policies apply and are available at:

http://www.cas.org/legal/infopolicy.html

This file contains CAS Registry Numbers for easy and accurate substance identification.

The ALL, BIB, MAX, and STD display formats in the CA/CAplus family of databases have been updated to include new citing references information. This enhancement may impact record import into database management software. For additional information, refer to NEWS 9.

```
=> s l3
L4           1 L3

=> d l4 ibib hitstr

L4   ANSWER 1 OF 1  CAPLUS  COPYRIGHT 2009 ACS on STN
ACCESSION NUMBER:         2005:732655  CAPLUS
DOCUMENT NUMBER:          143:211921
TITLE:                    Imidazo[1,2-c]pyrimidinylacetic acid derivatives,
                          their preparation, pharmaceutical compositions and use
                          as CRTH2 antagonists
INVENTOR(S):              Ly, Tai-Wei; Yoshino, Takashi; Takekawa, Yuki;
                          Shintani, Takuya; Sugimoto, Hiromi; Bacon, Kevin B.;
                          Urbahns, Klaus
PATENT ASSIGNEE(S):       Bayer Healthcare A.-G., Germany
SOURCE:                   PCT Int. Appl., 55 pp.
                          CODEN: PIXXD2
DOCUMENT TYPE:            Patent
LANGUAGE:                 English
FAMILY ACC. NUM. COUNT:   1
PATENT INFORMATION:
```

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2005073234	A2	20050811	WO 2005-EP475	20050119
WO 2005073234	A3	20051006		
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
AU 2005209381	A1	20050811	AU 2005-209381	20050119
CA 2551778	A1	20050811	CA 2005-2551778	20050119
EP 1718649	A2	20061108	EP 2005-706922	20050119
EP 1718649	B1	20090610		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, FI, RO, CY, TR, BG, CZ, EE, HU, PL, SK, IS				
CN 1938310	A	20070328	CN 2005-80010462	20050119
BR 2005007123	A	20070619	BR 2005-7123	20050119
JP 2007519659	T	20070719	JP 2006-550019	20050119
ZA 2006005387	A	20080528	ZA 2006-5387	20050119
AT 433452	T	20090615	AT 2005-706922	20050119
MX 2006007674	A	20060904	MX 2006-7674	20060704
US 20090012102	A1	20090108	US 2006-585429	20060707
KR 2006130187	A	20061218	KR 2006-717478	20060829

NO 2006003878	A	20061011	NO 2006-3878		20060831
IN 2006CN03157	A	20070608	IN 2006-CN3157		20060831
PRIORITY APPLN. INFO.:			EP 2004-2144	A	20040131
			WO 2005-EP475	W	20050119

OTHER SOURCE(S): CASREACT 143:211921; MARPAT 143:211921

IT 862186-18-3P, [7-Chloro-5-[4-[[4-(trifluoromethyl)benzoyl]amino]benzyl]imidazo[1,2-c]pyrimidin-8-yl]acetic acid 862186-20-7P, [7-Chloro-5-[4-[(3,4-dichlorobenzoyl)amino]benzyl]imidazo[1,2-c]pyrimidin-8-yl]acetic acid 862186-22-9P, [7-Chloro-5-[4-[(2-naphthalenecarbonyl)amino]benzyl]imidazo[1,2-c]pyrimidin-8-yl]acetic acid 862186-24-1P, [7-Chloro-5-[4-[((2E)-3-phenylprop-2-enoyl)amino]benzyl]imidazo[1,2-c]pyrimidin-8-yl]acetic acid 862186-26-3P, [7-Chloro-5-[4-[[(2E)-3-(4-chlorophenyl)prop-2-enoyl]amino]benzyl]imidazo[1,2-c]pyrimidin-8-yl]acetic acid 862186-32-1P, [5-[4-[[4-(Trifluoromethyl)benzoyl]amino]benzyl]imidazo[1,2-c]pyrimidin-8-yl]acetic acid 862186-44-5P, [5-[4-[(3,4-Dichlorobenzoyl)amino]benzyl]imidazo[1,2-c]pyrimidin-8-yl]acetic acid
RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(drug candidate; preparation of imidazopyrimidinylacetic acid derivs. as CRTH2 antagonists)

RN 862186-18-3 CAPLUS

CN Imidazo[1,2-c]pyrimidine-8-acetic acid, 7-chloro-5-[[4-[[4-(trifluoromethyl)benzoyl]amino]phenyl]methyl]- (CA INDEX NAME)

PAGE 1-A



PAGE 2-A



RN 862186-20-7 CAPLUS
CN Imidazo[1,2-c]pyrimidine-8-acetic acid, 7-chloro-5-[[4-[(3,4-dichlorobenzoyl)amino]phenyl]methyl]- (CA INDEX NAME)

PAGE 1-A



PAGE 2-A



RN 862186-22-9 CAPLUS
CN Imidazo[1,2-c]pyrimidine-8-acetic acid, 7-chloro-5-[[4-[(2-naphthalenylcarbonyl)amino]phenyl]methyl]- (CA INDEX NAME)



RN 862186-24-1 CAPLUS
CN Imidazo[1,2-c]pyrimidine-8-acetic acid,
7-chloro-5-[[4-[[(2E)-1-oxo-3-phenyl-2-propen-1-yl]amino]phenyl]methyl]-
(CA INDEX NAME)

Double bond geometry as shown.



RN 862186-26-3 CAPLUS
CN Imidazo[1,2-c]pyrimidine-8-acetic acid,
7-chloro-5-[[4-[[(2E)-3-(4-chlorophenyl)-1-oxo-2-propen-1-
yl]amino]phenyl]methyl]- (CA INDEX NAME)

Double bond geometry as shown.



RN 862186-32-1 CAPLUS
CN Imidazo[1,2-c]pyrimidine-8-acetic acid,
5-[[4-[[4-(trifluoromethyl)benzoyl]amino]phenyl]methyl]- (CA INDEX NAME)

PAGE 1-A



PAGE 2-A



RN 862186-44-5 CAPLUS
CN Imidazo[1,2-c]pyrimidine-8-acetic acid,
5-[[4-[(3,4-dichlorobenzoyl)amino]phenyl]methyl]- (CA INDEX NAME)

PAGE 1-A



PAGE 2-A



OS.CITING REF COUNT: 1 THERE ARE 1 CAPLUS RECORDS THAT CITE THIS RECORD (1 CITINGS)
REFERENCE COUNT: 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> log hold

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	4.39	190.49

SESSION WILL BE HELD FOR 120 MINUTES
STN INTERNATIONAL SESSION SUSPENDED AT 17:23:45 ON 21 SEP 2009